

# MAXIMUM LIKELIHOOD CLASSIFICATION FOR ON-LINE EVALUATION OF TRAINING BASED ON VIRTUAL REALITY

Ronei Marcos de Moraes<sup>1</sup> and Liliane dos Santos Machado<sup>2</sup>

**Abstract** — *An on-line evaluator for training in simulators based on virtual reality must have a low complexity algorithm to do not compromise the performance of the simulator. Several approaches to perform that evaluation for on-line or off-line training simulators based on virtual reality have been proposed. We propose a new approach to on-line evaluation using Maximum Likelihood for modeling and classification of simulation in pre-defined classes of training. This method provides the use of continuous variables without lost of information. So, it solves the problem of low complexity in on-line evaluators without compromise performance of the simulator. Classification based on Maximum Likelihood is a statistical tool used to solve classification problems with good evaluation accuracy.*

**Index Terms** — *Maximum Likelihood classification, Training Evaluation, On-line Evaluation, Virtual Reality.*

## INTRODUCTION

With advances in virtual reality science, several kinds of training just are performed in virtual reality simulators [2]. However, in several cases we cannot simply classify a training executed by a user as bad or good. In several kinds of training based on virtual reality, the user performance is recorded in videotapes and post analyzed by experts. After some time, the user receives his evaluation. This is a problem because probably after some hours the user will not remember his exact actions when was performing the simulation. This situation will make difficult the use of the evaluation information to improve his performance.

The existence of an on-line evaluation tool in simulation system based on virtual reality is important to allow the learning improvement and users evaluation. Recently, new methods of evaluation for on-line training in virtual reality simulator have been proposed [4, 6, 7, 8, 9, 13, 15, 16, 17, 18, 19, 20, 22, 23].

In medicine, some models for off-line or on-line evaluation of training have been proposed. However, great part of these approaches depends on a large computational structure, which is very expensive to be available in some Medical Centers in Brazil and several other countries.

Simulators bases on virtual reality (VR) for training need high-end computers to provide realistic haptics, stereoscopic visualization of 3D models and textures. On-

line evaluators must have low complexity to do not compromise performance of the simulations, but they must have high accuracy to do not compromise evaluation. A method based on Maximum Likelihood can be a good option to do an on-line evaluation, because they can obtain good accuracy models and they are very simple too. In this paper, we propose the use of the statistical classification based on Maximum Likelihood [3] for an on-line training evaluator in virtual reality simulators.

## VIRTUAL REALITY AND SIMULATED TRAINING

Virtual Reality refers to real-time systems modeled by computer graphics that allow user interaction and movements with three or more degrees of freedom [2, 26]. More than a technology, virtual reality became a new science that joins several fields as computers, robotics, graphics, engineering and cognition. Virtual Reality Worlds are 3D environments created by computer graphics techniques where one or more users are immersed totally or partially to interact with virtual elements. The quality of the user experience in a virtual reality world is given by the graphics resolution and by the use of special devices for interaction. Basically, the devices stimulate the human senses as vision, audition and touch: head-mounted displays (HMD) or even conventional monitors combined with special glasses can provide stereoscopic visualization; multiple sound sources positioned provides 3D sound; and touch can be simulated by the use of haptic devices [10, 12].

There are many purposes for virtual reality systems, but a very important one is the simulation of procedures for training. Virtual reality systems for training provide significant benefits over other methods, mainly in critical procedures. One example of training based on VR systems is the flight simulators used for the pilots' training in the civil aviation [24]. In medicine, the use of virtual reality systems for training is beneficial in cases where a mistake could result in physical or emotional impact on patients. Systems for different modalities in medicine have been developed, as training in: laparoscopy [25], prostate examination [1], ocular surgery [11] and bone marrow harvest [5]. In some cases, the procedures are done without visualization for the physician, and the only information he receives is done by the tactile sensations provided by a robotic device with force feedback. These devices can measure forces and torque

<sup>1</sup> Ronei Marcos de Moraes, Department of Statistics, Federal University of Paraíba, Cidade Universitária s/n CEP 58.051-900 João Pessoa – PB - Brazil, ronei@de.ufpb.br

<sup>2</sup> Liliane dos Santos Machado, Department of Informatics, Federal University of Paraíba, Cidade Universitária s/n CEP 58.051-900 João Pessoa – PB - Brazil, liliane@di.ufpb.br.

applied during the interaction [12] and these data can be used in an evaluation [4, 22].

## EVALUATION IN VIRTUAL REALITY SIMULATORS

The evaluation of simulations is necessary to assess the training quality and provide some feedback about the user performance. User movements, as spatial movements, can be collected from mouse, keyboard and any other tracking device. Applied forces, angles, position and torque can be collected from haptic devices [23]. So, virtual reality systems can use one or more variables, as the mentioned above, to evaluate a simulation performed by user.

Some simulators for training have a method of evaluation. However they just compare the final result with the expected one or are videotape records post-analyzed by an expert [1]. Recently, some models for off-line or on-line evaluation of training have been proposed, some of them use Discrete Hidden Markov Models (DHMM) [21] or Continuous Hidden Markov Models (CHMM) [22] to modeling forces and torque during a simulated training in a porcine model. Machado et al. [4, 6] proposed the use of a fuzzy rule-based system to on-line evaluation of training in virtual worlds. Moraes and Machado [15, 20] proposed the use of CHMM for on-line evaluation in any virtual reality simulators. After that, the same authors proposed another approach for on-line evaluation learning using Fuzzy Hidden Markov Models (FHMM) [16]. Using an optoelectronic motion analysis and video records, McBeth et al. [13] acquired and compared postural and movement data of experts and residents in different contexts by use of distributions statistics. Machado and Moraes proposed the use of Gaussian Mixture Models [17], Fuzzy Gaussian Mixture Models [18], and recently Neural Networks [8] and Evolving Fuzzy Neural Networks [9].

They proposed also two evaluator with two-stage: the first one using Gaussian Mixture Models and Relaxation Labeling [19] and after the Fuzzy Gaussian Mixture Models and Fuzzy Relaxation Labeling [7] to provide an on-line evaluation for simulators or training systems based on virtual reality.

In this paper, we propose the use of the statistical classification based on Maximum Likelihood for an on-line training evaluator in virtual reality simulators. The system uses a vector of information with data collected from user interactions with virtual reality simulator. These data are compared by an evaluation system with  $N$  pre-defined classes of performance.

To test the method proposed, we are using a bone marrow harvest simulator [5]. This simulator has as goal to training new doctors to execute the bone marrow harvest, one of the stages of the bone marrow transplant. The procedure is done blindly, performed without any visual feedback, except the external view of the donor body, and the physician needs to feel the skin and bone layers trespassed by the needle to find the bone marrow and then

start the material aspiration (Figure 1). The simulator uses a robotic arm that operates with six degrees of freedom movements and force feedback to give to the user the tactile sensations felt during the penetration of the patient's body as showed in the Figure 2 [14]. In the system the robotic arm simulates the needle used in the real procedure, and the virtual body visually represented has the tactile properties of the real tissues. The evaluation tool proposed should supervise the user movements during the puncture and should evaluate the training according to  $M$  possible classes of performance.




FIGURE. 1

THE TISSUE LAYERS TRESPASSED BY NEEDLE IN A BONE MARROW HARVEST.



FIGURE. 2

THE VIRTUAL REALITY BASED SIMULATOR FOR BONE MARROW HARVEST TRAINING IN USE.

## MAXIMUM LIKELIHOOD STATISTICAL CLASSIFICATION

This section presents the method for training evaluation, based on Maximum Likelihood. Maximum likelihood decision rule is the most common statistical technique used in data classification. Formally, let the classes of performance for an user done by:  $w_i$ ,  $i=1, \dots, M$ , where  $M$  is the total number of classes of performance. We can determine the most probable class of a vector of training data  $X$ , by conditional probabilities [3]:

$$P(w_i / X), \text{ where } i=1, \dots, M. \quad (1)$$

The probability done by (1) gives the likelihood that for a data vector  $X$ , the correct class is  $w_i$ . Classification rule is performed according to

$$X \in w_i \text{ if } P(w_i / X) > P(w_j / X) \text{ for all } i \neq j. \quad (2)$$

However, all the probabilities done by (1) are unknown. So, if we have sufficient information available for each class of performance, we can estimate that probabilities, denoted by  $P(X / w_i)$ . Using the Bayes Theorem:

$$P(w_i / X) = [P(X / w_i) P(w_i)] / P(X), \quad (3)$$

where  $P(X) = \sum_{i=1}^M P(X / w_i) P(w_i)$ .

As  $P(X)$  is the same for all classes  $w_i$ , then it is not relevant for data classification. In Bayesian theory,  $P(w_i)$  is called *a priori* probability for  $w_i$  and  $P(w_i / X)$  is a *posteriori* probability for  $w_i$  where  $X$  is known. Then, the classification rule done by (2) is modified:

$$X \in w_i \text{ if } P(w_i / X) P(w_i) > P(w_j / X) P(w_j) \text{ for all } i \neq j. \quad (4)$$

Equation (4) is known as maximum likelihood decision rule or maximum likelihood classification. However, it can be convenient use [3]:

$$g(X) = \ln [P(X / w_i) P(w_i)] \\ = \ln [P(X / w_i)] + \ln [P(w_i)] \quad (5)$$

where  $g(X)$  is known as log-likelihood function and it is known as discriminant function. We can use (5) to modify the formulation done by (4):

$$X \in w_i \text{ if } g_i(X) > g_j(X) \text{ for all } i \neq j. \quad (6)$$

It is important to note that if statistical distribution of training data can assume multivariate Gaussian distribution, the use of (6) has interesting computational properties [3]. If training data cannot assume that distribution, the equation

(6) can provides a significant reduction of computational cost of implementation.

## THE EVALUATION TOOL

The evaluation tool proposed should supervise the user movements and others parameters associated to it. The system must collect information about positions in the space, forces, torque, resistance, speeds, accelerations, temperatures, visualization and/or visualization angle, sounds, smells and etc. The virtual reality simulator and the system of evaluation are independent systems, however they act simultaneously. The user's interactions with the system are monitored and the information is sending to the evaluator system that analyzes the data and it emits a report on the user's performance at the end of the training. Depending on the application, all those variables or some of them will be monitored according to their relevance to the training.

In the virtual reality simulator used for the tests the trainee must extract the bone marrow. In the first movement, he must feel the skin to find the best place to insert the needle. After, he must feel the tissue layers (epidermis, dermis, subcutaneous, periosteum and compact bone) trespassed by the needle and stop at the correct position to do the bone marrow extraction. In our system the trainee movements are monitored by variables as: acceleration, applied force, spatial position, torque and angles of needle.

For the evaluation an expert executes several times the procedure for each one of  $M$  classes of performance available, for example: "well qualified", "need some training yet", "need more training", "novice", etc. So, the information of variability about these procedures is acquired using

## CONCLUSIONS AND FUTURE WORKS

In this paper we presented a new approach to on-line evaluation in training simulators based on virtual reality using a statistical classification based on Maximum Likelihood. This approach provides the use of continuous variables without lost of information. So, it solves the problem of low complexity of on-line evaluators, without compromise performance of simulator and with good accuracy evaluation.

Systems based on this approach can be applied in virtual reality simulators for several areas and can be used to classify the trainee into classes of learning giving him a real position about his performance, through the reports of performance of each training. In medicine, it provides an appropriate methodology for blind made procedures.

As future work, we intend to test and to make a statistical comparison between others methodologies and the methodology proposed in this paper.

## REFERENCES

- [1] Burdea, G., Patounakis, G., Popescu, V. and Weiss, R.E., Virtual Reality Training for the Diagnosis of Prostate Cancer. In: *Virtual Reality Annual International Symposium*, 1998. Proc. IEEE, 1998, p. 190-197.
- [2] Burdea, G. and Coiffet, P., *Virtual Reality Technology*. 2<sup>nd</sup> ed., Wiley Interscience, 2003.
- [3] Johnson, R. A.; Wichern, D. W., *Applied Multivariate Statistical Analysis*. Prentice Hall, 4<sup>th</sup> ed., 1998.
- [4] Machado, L. S., Moraes, R. M. and Zuffo, M. K., Fuzzy Rule-Based Evaluation for a Haptic and Stereo Simulator for Bone Marrow Harvest for Transplant. *5th Phantom Users Group Workshop Proceedings*, 2000.
- [5] Machado, L. S., Mello, A. N., Lopes, R. D., Odone Filho, V. and Zuffo, M. K., A Virtual Reality Simulator for Bone Marrow Harvest for Pediatric Transplant. *Studies in Health Technology and Informatics - Medicine Meets Virtual Reality*, v. 81, pp.293-297, 2001.
- [6] Machado, L. S., Zuffo, M. K., Moraes, R. M. and Lopes, R. D., Haptic Modeling, Stereoscopic Visualization and Evaluation Aspects in a Simulator for Bone Marrow Harvest for Transplant. *Proceedings of the 4th SBC Symposium on Virtual Reality*, pp. 23-31, Brazil, 2001. (in Portuguese)
- [7] Machado, L. S.; Moraes, R. M., An On-line Evaluation Of Training in Virtual Reality Simulators Using Fuzzy Gaussian Mixture Models and Fuzzy Relaxation Labeling. *Annals of 2003 IASTED International Conference on Computers and Advanced Technology in Education (CATE'2003)*. June, Rhodos, pp. 192-196, 2003.
- [8] Machado, L. S.; Moraes, R. M.; Neural Networks for Online Training Evaluation in Virtual Reality Simulators. *World Congress on Engineering and Technology Education - WCETE'2004*. March, Santos, Brazil, pp. 157-160, 2004.
- [9] Machado, L. S. ; Moraes, R. M.; Online Training Evaluation in Virtual Reality Simulators Using Evolving Fuzzy Neural Networks, *Proceedings of the 6th International FLINS Conference*. Belgium. 2004. To appear.
- [10] Mahoney, D.P. The Power of Touch. *Computer Graphics World*, v. 20, n. 8, p. 41-48, August, 1997.
- [11] Mahoney, D.P. The Eyes Have It. *Computer Graphics World*, v. 21, n. 8, pp. 69-70, August 1998.
- [12] Massie, T., Salisbury, K., The PHANToM Haptic interface: A device for probing virtual objects. *ASME Winter Annual Meeting*, DSC. v. 55-1. pp. 295-300. 1994.
- [13] McBeth, P. B. et al., Quantitative Methodology of Evaluating Surgeon Performance in Laparoscopic Surgery. *Studies in Health Technology and Informatics: Medicine Meets Virtual Reality*, v 85, pp 280-286, 2002.
- [14] Moody, L., Baber, C., Arvanitis, T. N., Objective Surgical Performance Evaluation Based on Haptic Feedback. *Studies in Health Technology and Informatics: Medicine Meets Virtual Reality*, v 85, pp 304-310, 2002.
- [15] Moraes, R. M., Machado, L. S., Hidden Markov Models for Learning Evaluation in Virtual Reality Simulators. *Annals of 2002 IASTED International Conference on Computers and Advanced Technology in Education*, pp 405-409, Mexico, 2002.
- [16] Moraes, R. M., Machado, L. S., Fuzzy Hidden Markov Models for On-line Training Evaluation in Virtual Reality Simulators. in *Computational Intelligent Systems for Applied Research*. World Scientific, Singapore, pp 296-303, 2002.
- [17] Moraes, R. M.; Machado, L. S.; On-line Training Evaluation in Virtual Reality Simulators Using Gaussian Mixture Models. *Studies in Health Technology and Informatics: Medicine Meets Virtual Reality*, v 94, p. 42-45, 2003.
- [18] Moraes, R. M.; Machado, L. S.; Fuzzy Gaussian Mixture Models for On-line Training Evaluation in Virtual Reality Simulators. *Annals of the International Conference on Fuzzy Information Processing (FIP'2003)*. March, Beijing. v. 2, p 733-740, 2003
- [19] Moraes, R. M.; Machado, L. S., Gaussian Mixture Models and Relaxation Labeling for On-line Evaluation of Training in Virtual Reality Simulators. *Annals of International Conference on Engineering and Computer Education (ICECE'2003)*. March, Santos, 2003. [CDROM].
- [20] Moraes, R. M.; Machado, L. S., Hidden Markov Models for Learning Evaluation in Virtual Reality Simulators. *International Journal of Computers & Applications*, v. 25, n. 3, p. 212-215, 2003.
- [21] Pimentel, K., Teixeira, K., *Virtual Reality – Through the New Looking Glass*. 2<sup>nd</sup> ed, McGraw Hill, 1995.
- [22] Rosen J., Richards, C., Hannaford, B. and Sinanan, M., Hidden Markov Models of Minimally Invasive Surgery, *Studies in Health Technology and Informatics: Medicine Meets Virtual Reality*, v. 70, pp. 279-285, 2000.
- [23] Rosen, J., Solazzo, M., Hannaford, B. and Sinanan, M., Objective Laparoscopic Skills Assessments of Surgical Residents Using Hidden Markov Models Based on Haptic Information and Tool/Tissue Interactions. *Studies in Health Technology and Informatics: Medicine Meets Virtual Reality*, v. 81, pp. 417-423, 2001.
- [24] Salisbury, K. Haptics: The Technology of Touch. *HPCWire Special*, nov 1995, n. 10.
- [25] Villano, M. *The Virtually Real Thing*. Internet site: <http://future.newsday.com/6/fmon0628.htm>. Access in 22/july/2002.
- [26] Vince, J. *Virtual Reality Systems*. Addison-Wesley, 1995.
- [27] Voss, G.; Brockholt, U.; Los Arcos, J.; Müller, W.; Oppelt, P.; Stäler, J. L., Intelligent Training System for Laparoscopy and Hysteroscopy. *Studies in Health Technology and Informatics. Medicine Meets Virtual Reality*, n. 70, p. 359-364. 2000.